



SCG-4Qe GSM Fixed Wireless Terminal **with 4SIM, 4ports FXS**

SCG-4Q4 GSM Fixed Wireless Terminal **with 4SIM, 4port FXS + 4port FXO**



1. General Description

SCG-4Qe is 4 ports GSM Fixed Wireless Terminal. The device has 4 line connections that allow 4 regular analog telephones to be connected to 4 Cellular GSM service just like connecting to 4 local PSTN (Public Switched Telephone Network) Land-lines. Your calls are connected on the GSM network. They can receive and make phone calls.

GSM FWT SCG-4Qe is 4 GSM modules with 4 FXS ports.

GSM FWT SCG-4Q4 is 4 GSM modules with 4 FXS ports + 4 FXO ports .

Q: Quad band 900/1800/850/1900MHz

2. Functions & Features

- ✧ **SCG-4Qe**: 4 GSM + 4FXS
- ✧ **SCG-4Q4**: 4 GSM + 4FXS +4FXO
- ✧ SLIC (FXS): 4
- ✧ DAA (FXO): 4
- ✧ SIM Card slot: 4
- ✧ IMEI changeable: support
- ✧ LCR (Low cost routing): support
- ✧ SMS management: support
- ✧ Lock network operator: support
- ✧ Number transfer: support

3. Technical Specifications

GSM: Quad band

GSM 850/1900MHz, 900/1,800MHz phase 2+ full band

Frequency ranges:

A) **GSM 850/ GSM 1900:**

I) Transmission: 869.2 ~ 893.8MHz I) Transmission: 1, 930 ~ 1, 990MHz

li) Reception: 824.2 ~ 848.2MHz li) Reception: 1, 850 ~ 1, 910MHz

B) **GSM 900/ GSM 1800:**

I) Transmission: 890 ~ 915MHz I) Transmission: 1, 710 ~ 1, 785MHz

li) Reception: 935 ~ 960MHz li) Reception: 1, 805 ~ 1, 880MHz

- Phone interface: supply RJ-11 Phone Interface
Hanging voltage: 45V
Dialing tone Frequency: 450Hz
Antenna interface: Antenna amplifying >2.5db
RF Sensitivity: <-104DBM
Transmitting power: <3W
- Operation temperature: -10c-60C
- Storage temperature: -20C-70C
- Operation humidity: 45% - 95%
- Color: Black
- AC-Adapter: Input: AC 110~240VAC 50~60Hz
Output: 12DC 1.5A.
- AC-Adapter type: EU, US, AU, British (optional)

4. **Packing Box consists of:**

Description	Quantity	Remark
GSM FWT SCG-4Qe/ SCG-4Q4	1 unit	GSM
Power Adapter	1 unit	AC 110-240v to 12v DC
GSM Antenna	4 units	3m cable antenna
Cable RJ11 to RJ11	4 units	Connecting the device to the telephone
Quick Guide	1 unit	May provide by SOFT COPY

SunComm TECHNOLOGY CO., LTD.

14F-8, No. 2, Jian-ba Rd, Zhong-he Dist., New Taipei City, Taiwan 23511

www.suncomm.com.tw www.3GFixedWirelessTerminal.com

China: Baoan, Shenzhen: www.suncomm-shenzhen.com

Tel: +886- 2- 8226 9569 Fax: +886 -2- 8226 9733 E-mail: sales2@suncomm.com.tw